

Ferrule Ball Vlve

Welding Ball Vlve

Male Manual Ball Vlve

Sanitary Ball Vlve

DIN . ISO . 3A

卫生球阀

Sanitary Ball Valves


LYSF 四方流体

WWW.LYSF.COM

中国卫生流体产品行业先锋

定位：为国内外中高端市场服务
理念：高度专注、持续改善、做精做强
目标：做中国质量最好的品牌
责任：为食品安全、药品安全、贡献力量

Positioning:Serve for the medium and high end market both home and abord
Principles:Highly Concentrated,ContinualPrefection,Be Superior And Stronger
Goal:Be the best quality brand in Chinese manufactory
Responsibility:Contributing to food and drug safety


IATF16949证书


ISO9001体系证书


ISO14001体系证书


江苏省涉及饮用水卫生安全产品


PED压力证书






3A证书



压力管道证书



泵CE证书



EHEDG证书



密封圈FDA

溧阳市四方不锈钢制品有限公司成立于1995年，是中国国内不锈钢流体产品制造行业的先锋和知名品牌,有较高的市场占有率,并且在欧、美等高端市场中有很好的业绩。

公司占地面积66000平方米，员工约650名，焊管生产线14条，每年可生产管道400万米，管件200万件，阀门50万台，泵5000台，标准产品备有库存，可以快速供货。

公司拥有世界先进的生产设备和制造工艺。主要生产不锈钢卫生离心泵、阀门、卫生管、弯头、三通、大小头、由宁、卡箍、端头、人孔、视镜等产品。产品质量通过TUV、SGS、EHEDG、3A等机构的检测和认可。目前可按照DIN、ISO、3A、BPE、SMS、BS、IDF等世界各国的标准提供产品和OEM业务。
我们始终坚持发挥中国制造产品的性价比优势，为客户服务。
热忱欢迎您的惠顾。

LIYANG SIFANG STAINLES STEEL PRODUCTS CO,.LTD Was founded in 1995 and It is the pioneer and famous brand in the manufacturing industry of stainless steel fluid products in China .Also it has high market share and good performance in high-end markets in Europe ,USA and Etc.

The company covers an area of 66,000 square meters,about 650 employees,14Welded pipe production line,and 400.000 meters per year production for pipeline, and 2,000,000 pieces of pipe fittings, valves 500,000 units, 5,000 pumps, standard products available inventory, supply quickly,

The company has the world's most advanced production equipment and manufacturing process. The main production of stainless steel centrifugal pump of Health, Valves,Sanitary Tube、Elbow,Tee Sight Glass Reducer Ferrule and other products. Product quality through TUV,SGS,EHEDG, 3A,and other institutions of detection and recognition. At present, in accordance with DIN, ISO, 3A, BPE, SMS, BS, DS, IDF, and other countries in the world of standards and OEM products business.

We always adhere to the play of the products made in China cost advantage for customer service.

Application 应用

- 卫生级球阀是一种具有优良的卫生性能的通用阀门，产品广泛应用于食品、饮料、医药、精细化工等。
  Sanitary ball valve is a kind of universal valve with excellent hygienic performance. It is widely used in food, beverage, medicine, fine chemical and so on.

Advantages 优点

- 具有相对体积小、密封性能好、操作简单迅速、开关90° 快速启闭
  With small volume , sealed performance is good, the operation is simple, rapid, switch 90 ° rapid opening and closing
- 采用全通径设计，满足管路系统大流量、无流阻的需求
  Full diameter design is adopted to meet the large flow of pipeline system without flow resistance
- 内腔表面采用精密抛光，满足管路无残留的需求
  The inner cavity surface adopts precision polishing to meet the requirement of no residue in the pipeline

Structure Form 结构形式

- 球阀密封形式：半包、全包
  Ball valve type: half cavity, full cavity
- 连接形式：卡式、焊式、螺式、法兰式
  Connection: Clamp, Weld, Male, Flange
- 驱动方式：手动、气动（单作用、双作用）、电动
  Drive mode: manual, pneumatic (single acting, double acting), electric
- 控制单元：反馈装置、定位器、限位开关、电磁阀等
  Control unit: feedback device, locator, limit switch, solenoid valve, etc

Technical Paramenter 技术参数

- 产品材料：304 或 316L
  Product material:304 and 316L
- 密封材料：PTFE、EPDM （可选配置：TFM、PEEK）
  Sealing material:PTFE and EPDM （Optional configuration:TFM、PEEK）
- 公称直径：DN10-DN100 (1/2"-4")
  DN:DN10-DN100 (1/2"-4")
- 工作压力：10 bar
  Working Pressue:10 bar
- 工作温度：-10℃-150℃
  Working Temp:–10℃–150℃

卫生球阀
Sanitary Ball Valves



球阀气动驱动空气消耗

气动球阀规格		空气消耗量（L）	
阀门规格	空气压力bar	开启	关闭
0.5^{s}	4 – 6bar	0.06	0.08
0.75^{s}	4 – 6bar	0.09	0.12
1^{s}	4 – 6bar	0.09	0.12
1.25^{s}	4 – 6bar	0.14	0.2
1.5^{s}	4 – 6bar	0.21	0.3
2^{s}	4 – 6bar	0.21	0.3
2.5^{s}	6 – 7bar	0.7	0.99
3^{s}	6 – 7bar	1.2	1.6
4^{s}	6 – 7bar	1.2	1.6


球阀驱动装置最小扭矩范围

球阀规格	扭矩（Kgf.m）
DN10/0.5^{s}	0.9
DN15/0.75^{s}	1.1
DN25/1^{s}	1.4
DN40/1.5^{s}	2.7
DN50/2^{s}	3.1
DN65/2.5^{s}	5.0
DN80/3^{s}	7.3
DN100/4^{s}	10.7


密封材质 – 全包或半包

特性	PTFE
温度范围	– 10~150℃
耐酸性	极好
耐碱性	极好
耐汽油度	极好
耐柴油度	极好
耐磨力	极好
承受力	极好

球阀压力温度范围



手动卡式球阀 Manual Ferrule Ball Valve




半包密封圈
型号type：DQP-01


全包密封圈
型号type：DQQ-01

规格size	A	B	C	D	E	F	kg
DN25	25	50.5	115	80	170		
32	31	50.5	129	85	170		
40	37	50.5	139	94	205		
50	49	64	155.5	104	205		
65	66	91	198	135	265		
80	81	106	229	145	265		
100	100	119	243	172	310		

手动焊式球阀 Manual Welding Ball Valve




半包密封圈
型号type：DQP-02




全包密封圈
型号type：DQQ-02

规格size	A	B	C	D	E	F	kg
DN25	25	28	115	80	170		
32	31	34	129	85	170		
40	37	40	139	94	205		
50	49	52	155.5	104	205		
65	66	70	198	135	265		
80	81	85	229	145	265		
100	100	104	243	172	310		

气动卡式球阀 Pneumatic Ferrule Ball Valve




半包密封圈
型号type：DQP-03




全包密封圈
型号type：DQQ-03

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	F	kg
DN25	25	50.5	115	185	178	169	153	70	
32	31	50.5	129	203	196	191	178	83	
40	37	50.5	139	227	209	206	178	83	
50	49	64	155.5	243	250	226	196	95	
65	66	91	198	293	278	275	250	122	
80	81	106	229	334	325	306	278	122	
100	100	119	244	378	396	360	326	150	

气动焊式球阀 Pneumatic Welding Ball Valve




半包密封圈
型号type：DQP-04



全包密封圈
型号type：DQQ-04

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	F	kg
DN25	25	28	115	185	178	169	153	70	
32	31	34	129	203	196	191	178	83	
40	37	40	139	227	209	206	178	83	
50	49	52	155.5	243	250	226	196	95	
65	66	70	198	293	278	275	250	122	
80	81	85	229	334	325	306	278	122	
100	100	104	244	378	396	360	326	150	

电动卡式球阀 Electric Ferrule Ball Valve




半包密封圈
型号type：DQP-05

全包密封圈
型号type：DQQ-05

规格size	A	B	C	D	E	F	kg
DN25	25	50.5	115	184	123	123	
32	31	50.5	129	208	160	146	
40	37	50.5	139	213	160	146	
50	49	64	155.5	229	189	163	
65	66	91	198	263	189	163	
80	81	106	229	272	189	163	

电动焊式球阀 Electric Welding Ball Valve




半包密封圈
型号type：DQP-06


全包密封圈
型号type：DQQ-06

规格size	A	B	C	D	E	F	kg
DN25	25	28	115	184	123	123	
32	31	34	129	208	160	146	
40	37	40	139	213	160	146	
50	49	52	155.5	229	189	163	
65	66	70	198	263	189	163	
80	81	85	229	272	189	163	
100	100	104	243	350	268	212	

气动卡式球阀 Pneumatic Ferrule Ball Valve




半包密封圈
型号type：DQP-07




全包密封圈
型号type：DQQ-07

规格size	A	B	C	D	G	H	kg
DN25	25	50.5	115		221	85	
32	31	50.5	129		228	85	
40	37	50.5	139		243	85	
50	49	64	155.5		284	110	
65	66	91	198		315	110	
80	81	106	229		403	133	
100	100	119	243		420	133	

气动焊式球阀 Pneumatic Welding Ball Valve




半包密封圈
型号type：DQP-08




全包密封圈
型号type：DQQ-08

规格size	A	B	C	D	G	H	kg
DN25	25	28	115		221	85	
32	31	34	129		228	85	
40	37	40	139		243	85	
50	49	52	155.5		284	110	
65	66	70	198		315	110	
80	81	85	229		403	133	
100	100	104	243		420	133	

手动螺式球阀 Manula Male Ball Valve




半包密封圈
型号type：DQP-11




全包密封圈
型号type：DQQ-11

规格size	A	B	C	D	E	H	kg
DN25	25	Rd52×1/6"	159	80	170		
32	31	Rd58×1/6"	173	85	170		
40	37	Rd65×1/6"	183	94	205		
50	49	Rd78×1/6"	201.5	104	205		
65	66	Rd95×1/6"	248	135	250		
80	81	Rd110×1/4"	288	145	265		
100	100	Rd130×1/4"	303	172	310		

气动螺式球阀 Pneumatic Male Ball Valve




半包密封圈
型号type：DQP-12




全包密封圈
型号type：DQQ-12

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	kg
DN25	25	Rd52×1/6"	159	185	178	169	153	
32	31	Rd58×1/6"	173	203	196	191	178	
40	37	Rd65×1/6"	183	227	209	206	178	
50	49	Rd78×1/6"	201.5	243	250	226	196	
65	66	Rd95×1/6"	248	293	278	275	250	
80	81	Rd110×1/4"	288	334	325	303	278	
100	100	Rd130×1/4"	303	378	396	360	326	

手动卡式罐底球阀 Manual Clamp Tank Bottom Ball Valve




半包密封圈
型号type：DQP-14




全包密封圈
型号type：DQQ-14

规格size	A	B	C	D	E	F	kg
DN25	50.5	25	100	101.5	170	80	
32	50.5	31	100	111	170	85	
40	50.5	37	120	124	205	94	
50	64	49	140	141	205	104	
65	91	66	175	170.5	250	135	
80	106	81	198	199	265	145	
100	119	100	237	217	310	172	

气动卡式罐底球阀 Pneumatic Clamp Tank Bottom Ball Valve



半包密封圈
型号type：DQP-15




全包密封圈
型号type：DQQ-15


规格size	A	B	C	D	E单作用	F单作用	E双作用	F双作用	kg
DN25	50.5	25	100	101.5	185	178	169	153	
32	50.5	31	100	111	203	196	191	178	
40	50.5	37	120	124	227	209	206	178	
50	64	49	140	141	243	250	226	196	
65	91	66	175	170.5	293	278	275	250	
80	106	81	198	199	334	325	303	278	
100	119	100	237	217	378	396	360	326	

手动（气动）卡式卫生球阀

Manual (Pneumatic) Ferrule Sanitary Ball Valve



手动卡式卫生球阀
型号type：DQSX-01




气动卡式卫生球阀
型号type：DQQX-01


规格size	A	B	C	D	E	F	G	H	kg
DN25	25	50.5		123	100	120	240	85	
32	31	50.5		132	105	120	243	85	
40	37	50.5		137	108	135	250	85	
50	49	64		147	118	135	290	108	
65	66	91		180	136	135	303	108	
80	81	106		202	150	200	414	133	
100	100	119		212	162	200	431	133	

手动（气动）焊接式卫生球阀

Manual (Pneumatic) Welding Sanitary Ball Valve



手动焊接式卫生球阀
型号type：DQSX-02




气动焊接式卫生球阀
型号type：DQQX-02


规格size	A	B	C	D	E	F	G	H	kg
DN25	25	50.5		80	100	120	240	85	
32	31	50.5		89	105	120	243	85	
40	37	50.5		94	108	135	250	85	
50	49	64		104	118	135	290	108	
65	66	91		124	136	135	303	108	
80	81	106		146	150	200	414	133	
100	100	119		156	162	200	431	133	

手动（气动）螺式卫生球阀

Manual (Pneumatic) Male Sanitary Ball Valve



手动螺式卫生球阀
型号type：DQSX-03




气动螺式卫生球阀
型号type：DQQX-03


规格size	A	B	C	D	E	F	G	H	kg
DN25	25	50.5		124	100	120	240	85	
32	31	50.5		133	105	120	243	85	
40	37	50.5		138	108	135	250	85	
50	49	64		150	118	135	290	108	
65	66	91		174	136	135	303	108	
80	81	106		206	150	200	414	133	
100	100	119		216	162	200	431	133	

手动（气动）螺焊式卫生球阀

Manual (Pneumatic) Male/Welding Sanitary Ball Valve




手动螺焊式卫生球阀
型号type：DQSX-04



气动螺焊式卫生球阀
型号type：DQQX-04

规格size	A	B	C	D	E	F	G	H	kg
DN25	25	Rd52×1/6"	28	102	100	120	240	85	
32	31	Rd58×1/6"	34	111	105	120	243	85	
40	37	Rd65×1/6"	40	116	108	135	250	85	
50	49	Rd78×1/6"	52	127	118	135	290	108	
65	66	Rd95×1/6"	70	149	136	135	303	108	
80	81	Rd110×1/4"	85	176	150	200	414	133	
100	100	Rd130×1/4"	104	186	162	200	431	133	


横向气动卡式卫生球阀 Horizontal Pneumatic Ferrule Sanitary Ball Valve



横向气动卡式卫生球阀
型号type：DQHX-01

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	kg
DN25	25	50.5	123	172	178	159	153	
32	31	50.5	132	188	196	175	178	
40	37	50.5	137	201	209	180	178	
50	49	64	147	243	250	201	196	
65	66	91	180	250	278	224	209	
80	81	106	202	287	325	241	250	
100	100	119	212	326	396	280	278	


横向气动焊式卫生球阀 Horizontal Pneumatic Weld Sanitary Ball Valve



横向气动焊式卫生球阀
型号type：DQHX-02

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	kg
DN25	25	28	80	172	178	156	153	
32	31	34	89	188	196	175	178	
40	37	40	94	201	209	180	178	
50	49	52	104	243	250	201	196	
65	66	70	124	250	278	224	209	
80	81	85	146	287	325	241	250	
100	100	104	156	326	396	280	278	


横向气动螺式卫生球阀 Horizontal Pneumatic Male Sanitary Ball Valve



横向气动螺式卫生球阀
型号type：DQHX-03

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	kg
DN25	25	Rd52×1/6"	124	172	178	156	153	
32	31	Rd58×1/6"	133	188	196	175	178	
40	37	Rd65×1/6"	138	201	209	180	178	
50	49	Rd78×1/6"	150	243	250	201	196	
65	66	Rd95×1/6"	174	250	278	224	209	
80	81	Rd110×1/4"	206	287	325	241	250	
100	100	Rd130×1/4"	216	326	396	280	278	


横向气动螺焊式卫生球阀 Horizontal Pneumatic Male/Weld Sanitary Ball Valve



横向气动螺焊式卫生球阀
型号type：DQHX-04

规格size	A	B	C	D	E单作用	F单作用	E双作用	F双作用	kg
DN25	25	Rd52×1/6"	28	102	172	178	156	153	
32	31	Rd58×1/6"	34	111	188	196	175	178	
40	37	Rd65×1/6"	40	116	201	209	180	178	
50	49	Rd78×1/6"	52	127	243	250	201	196	
65	66	Rd95×1/6"	70	149	250	278	224	209	
80	81	Rd110×1/4"	85	176	287	325	241	250	
100	100	Rd130×1/4"	104	186	326	396	280	278	

手动卡式球阀 Manual Ferrule Ball Valve




半包密封圈
型号type：IQP-01


全包密封圈
型号type：IQQ-01

规格size	A	B	C	D	E	F	kg
0.5"	9.7	25.4	90	65	125		
0.75"	16.05	25.4	100	73	125		
1"	22.4	50.5	115	80	170		
1.25"	28.8	50.5	129	85	170		
1.5"	35.1	50.5	139	94	205		
2"	47.8	64	155.5	104	205		
2.5"	59.5	77.5	198	135	265		
3"	72.1	91	229	145	265		
4"	97.6	119	243	172	310		

手动焊式球阀 Manual Welding Ball Valve




半包密封圈
型号type：IQP-02




全包密封圈
型号type：IQQ-02

规格size	A	B	C	D	E	F	kg
0.5"	9.7	12.7	90	65	125		
0.75"	16.05	19.05	100	73	125		
1"	22.4	25.4	115	80	170		
1.25"	28.8	31.8	129	85	170		
1.5"	35.1	38.1	139	94	205		
2"	47.8	50.8	155.5	104	205		
2.5"	59.5	63.5	198	135	265		
3"	72.1	76.1	229	145	265		
4"	97.6	101.6	243	172	310		

气动卡式球阀 Pneumatic Ferrule Ball Valve




半包密封圈
型号type：IQP-03




全包密封圈
型号type：IQQ-03

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	F	kg
0.5"	9.7	25.4	90	163	153	163	153	70	
0.75"	16.05	25.4	100	169	153	169	153	70	
1"	22.4	50.5	115	185	178	169	153	70	
1.25"	28.8	50.5	129	203	196	191	178	83	
1.5"	35.1	50.5	139	227	209	206	178	83	
2"	47.8	64	155.5	243	250	226	196	95	
2.5"	59.5	77.5	198	293	278	275	250	122	
3"	72.1	91	229	331	325	303	278	122	
4"	97.6	119	224	378	396	360	326	150	

气动焊式球阀 Pneumatic Welding Ball Valve




半包密封圈
型号type：IQP-04




全包密封圈
型号type：IQQ-04

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	F	kg
0.5"	9.7	12.7	90	163	153	163	153	70	
0.75"	16.05	19.05	100	169	153	169	153	70	
1"	22.4	25.4	115	185	178	169	153	70	
1.25"	28.8	31.8	129	203	196	191	178	83	
1.5"	35.1	38.1	139	227	209	206	178	83	
2"	47.8	50.8	155.5	243	250	226	196	95	
2.5"	59.5	63.5	198	293	278	275	250	122	
3"	72.1	76.1	229	331	325	303	278	122	
4"	97.6	101.6	224	378	396	360	326	150	

电动卡式球阀 Electric Ferrule Ball Valve




半包密封圈
型号type：IQP-05




全包密封圈
型号type：IQQ-05

规格size	A	B	C	D	E	F	kg
0.5"	9.7	25.4	90	176	123	123	
0.75"	16.05	25.4	100	191	123	123	
1"	22.4	50.5	115	184	123	123	
1.25"	28.8	50.5	129	208	160	146	
1.5"	35.1	50.5	140	213	160	146	
2"	47.8	64	155.5	229	189	163	
2.5"	59.5	77.5	198	263	189	163	
3"	72.1	91	229	272	189	163	
4"	97.6	119	243	350	268	212	

电动焊式球阀 Electric Welding Ball Valve




半包密封圈
型号type：IQP-06




全包密封圈
型号type：IQQ-06

规格size	A	B	C	D	E	F	kg
0.5"	9.7	12.7	90	176	123	123	
0.75"	16.05	19.05	100	191	123	123	
1"	22.4	25.4	115	184	123	123	
1.25"	28.8	31.8	129	208	160	146	
1.5"	35.1	38.1	140	213	160	146	
2"	47.8	50.8	155.5	229	189	163	
2.5"	59.5	63.5	198	263	189	163	
3"	72.1	76.1	229	272	189	163	
4"	97.6	101.6	243	350	268	212	

气动卡式球阀 Pneumatic Ferrule Ball Valve




半包密封圈
型号type：IQP-07




全包密封圈
型号type：IQQ-07

规格size	A	B	C	D	G	H	kg
0.5"	9.7	25.4	90		184	63.5	
0.75"	16.05	25.4	100		191	63.5	
1"	22.4	50.5	115		221	85	
1.25"	28.8	50.5	129		228	85	
1.5"	35.1	50.5	140		243	85	
2"	47.8	64	155.5		283	110	
2.5"	59.5	77.5	198		317	110	
3"	72.1	91	229		400	133	
4"	97.6	119	243		420	133	

气动焊式球阀 Pneumatic Welding Ball Valve




半包密封圈
型号type：IQP-08



全包密封圈
型号type：IQQ-08

规格size	A	B	C	D	G	H	kg
0.5"	9.7	12.7	90		184	63.5	
0.75"	16.05	19.05	100		191	63.5	
1"	22.4	25.4	115		221	85	
1.25"	28.8	31.8	129		228	85	
1.5"	35.1	38.1	140		243	85	
2"	47.8	50.8	155.5		283	110	
2.5"	59.5	63.5	198		317	110	
3"	72.1	76.1	229		400	133	
4"	97.6	101.6	243		420	133	

手动螺式球阀 Manula Male Ball Valve




半包密封圈
型号type：IQP-11


全包密封圈
型号type：IQQ-11

规格size	A	B	C	D	E	H	kg
1s	22.4	Rd40×1/6"	145	80	170		
1.25s	28.8	Rd48×1/6"	163	85	170		
1.5s	35.1	Rd60×1/6"	179	94	205		
2s	47.8	Rd70×1/6"	195.5	104	205		
2.5s	59.5	Rd85×1/6"	246	135	250		
3s	72.1	Rd98×1/4"	276	145	265		
4s	97.6	Rd132×1/4"	303	172	310		

气动螺式球阀 Pneumatic Male Ball Valve




半包密封圈
型号type：IQP-12




全包密封圈
型号type：IQQ-12

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	kg
1s	22.4	Rd40×1/6"	145	185	178	169	153	
1.25s	28.8	Rd48×1/6"	163	203	196	191	178	
1.5s	35.1	Rd60×1/6"	179	227	209	206	178	
2s	47.8	Rd70×1/6"	195.5	243	250	226	196	
2.5s	59.5	Rd85×1/6"	246	293	278	275	250	
3s	72.1	Rd98×1/4"	276	334	325	303	278	
4s	97.6	Rd132×1/4"	303	378	396	360	326	

手动卡式罐底球阀 Manual Clamp Tank Bottom Ball Valve




半包密封圈
型号type：IQP-14




全包密封圈
型号type：IQQ-14

规格size	A	B	C	D	E	F	kg
1s	22.4	22.4	100	101.5	170	80	
1.25s	28.8	28.8	100	111	170	85	
1.5s	35.1	35.1	120	124	205	94	
2s	47.8	47.8	140	141	205	104	
2.5s	59.5	59.5	175	170.5	250	135	
3s	72.1	72.1	198	199	265	145	
4s	97.6	97.6	237	217	310	172	

气动卡式罐底球阀 Pneumatic Clamp Tank Bottom Ball Valve




半包密封圈
型号type：IQP-15




全包密封圈
型号type：IQQ-15

规格size	A	B	C	D	E单作用	F单作用	E双作用	F双作用	kg
1s	50.5	22.4	100	101.5	185	178	169	153	
1.25s	50.5	28.8	100	111	203	196	191	178	
1.5s	50.5	35.1	120	124	227	209	206	178	
2s	64	47.8	140	141	243	250	226	196	
2.5s	91	59.5	175	170.5	293	278	275	250	
3s	106	72.1	198	199	334	325	303	278	
4s	119	97.6	237	217	378	396	360	326	

手动（气动）卡式卫生球阀 Manual（Pneumatic）Ferrule Sanitary Ball Valve




手动卡式卫生球阀
型号type：IQSX-01




气动卡式卫生球阀
型号type：IQQX-01

规格size	A	B	C	D	E	F	G	H	kg
1s	22.4	50.5		123	100	120	240	85	
1.25s	28.8	50.5		132	105	120	243	85	
1.5s	35.1	50.5		137	108	135	250	85	
2s	47.8	64		147	118	135	290	108	
2.5s	59.5	77.5		168	136	135	298	108	
3s	72.1	91		178	145	135	414	133	
4s	97.6	119		199	162	200	431	133	

手动（气动）焊接式卫生球阀 Manual（Pneumatic）Welding Sanitary Ball Valve




手动焊接式卫生球阀
型号type：IQSX-02




气动焊接式卫生球阀
型号type：IQQX-02

规格size	A	B	C	D	E	F	G	H	kg
1s	22.4	25.4		80	100	120	240	85	
1.25s	28.8	31.8		89	105	120	243	85	
1.5s	35.1	38.1		94	108	135	250	85	
2s	47.8	50.8		104	118	135	290	108	
2.5s	59.5	63.5		124	136	135	298	108	
3s	72.1	76.1		135	145	135	414	133	
4s	97.6	101.6		156	162	200	431	133	

手动（气动）螺式卫生球阀 Manual（Pneumatic）Male Sanitary Ball Valve




手动螺式卫生球阀
型号type：IQSX-03




气动螺式卫生球阀
型号type：IQQX-03

规格size	A	B	C	D	E	F	G	H	kg
1s	22.4	Rd40×1/6"		110	100	120	240	85	
1.25s	28.8	Rd48×1/6"		123	105	120	243	85	
1.5s	35.1	Rd60×1/6"		134	108	135	250	85	
2s	47.8	Rd70×1/6"		144	118	135	290	108	
2.5s	59.5	Rd85×1/6"		172	136	135	298	108	
3s	72.1	Rd98×1/6"		183	145	135	414	133	
4s	97.6	Rd132×1/6"		216	162	200	431	133	

手动（气动）螺焊式卫生球阀 Manual（Pneumatic）Male/Welding Sanitary Ball Valve




手动螺焊式卫生球阀
型号type：IQSX-04



气动螺焊式卫生球阀
型号type：IQQX-04

规格size	A	B	C	D	E	F	G	H	kg
1s	22.4	Rd40×1/6"	25.4	95	100	120	240	85	
1.25s	28.8	Rd48×1/6"	31.8	106	105	120	243	85	
1.5s	35.1	Rd60×1/6"	38.1	114	108	135	250	85	
2s	47.8	Rd70×1/6"	50.8	124	118	135	290	108	
2.5s	59.5	Rd85×1/6"	63.5	148	136	135	303	108	
3s	72.1	Rd98×1/6"	76.1	176	145	200	414	133	
4s	97.6	Rd132×1/6"	101.6	186	162	200	431	133	


横向气动卡式卫生球阀 Horizontal Pneumatic Ferrule Sanitary Ball Valve



横向气动焊式卫生球阀
型号type：IQHX-01

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	kg
1s	22.4	50.5	123	172	178	159	153	
1.25s	28.8	50.5	132	188	196	175	178	
1.5s	35.1	50.5	137	201	209	180	178	
2s	47.8	64	147	243	250	201	196	
2.5s	59.5	77.5	168	250	278	224	209	
3s	72.1	91	178	287	325	241	250	
4s	97.6	119	199	326	396	280	278	


横向气动焊式卫生球阀 Horizontal Pneumatic Weld Sanitary Ball Valve



横向气动焊式卫生球阀
型号type：IQHX-02

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	kg
1s	22.4	25.4	80	172	178	156	153	
1.25s	28.8	31.8	89	188	196	175	178	
1.5s	35.1	38.1	94	201	209	180	178	
2s	47.8	50.5	104	243	250	201	196	
2.5s	59.5	63.5	124	250	278	224	209	
3s	72.1	76.1	146	287	325	241	250	
4s	97.6	101.6	156	326	396	280	278	


横向气动螺式卫生球阀 Horizontal Pneumatic Male Sanitary Ball Valve



横向气动螺式卫生球阀
型号type：IQHX-03

规格size	A	B	C	D单作用	E单作用	D双作用	E双作用	kg
1s	22.4	Rd40×1/6"	110	172	178	156	153	
1.25s	28.8	Rd48×1/6"	123	188	196	175	178	
1.5s	35.1	Rd60×1/6"	134	201	209	180	178	
2s	47.8	Rd70×1/6"	144	243	250	201	196	
2.5s	59.5	Rd85×1/6"	172	250	278	224	209	
3s	72.1	Rd98×1/4"	183	287	325	241	250	
4s	97.6	Rd132×1/4"	216	326	396	280	278	

横向气动螺焊式卫生球阀 Horizontal Pneumatic Male/Weld Sanitary Ball Valve



横向气动螺焊式卫生球阀
型号type：IQHX-04

规格size	A	B	C	D	E单作用	F单作用	E双作用	F双作用	kg
1s	22.4	Rd40×1/6"	25.4	95	172	178	156	153	
1.25s	28.8	Rd48×1/6"	31.8	106	188	196	175	178	
1.5s	35.1	Rd60×1/6"	38.1	114	201	209	180	178	
2s	47.8	Rd70×1/6"	50.8	124	243	250	201	196	
2.5s	59.5	Rd85×1/6"	63.5	148	250	278	224	209	
3s	72.1	Rd98×1/6"	76.1	176	287	325	241	250	
4s	97.6	Rd132×1/6"	101.6	186	326	396	280	278	

Aimed at starting with the world!

发行日期
2019年

SIFANG STAINLESS
STEEL PRODUCTS CO.,LTD.
溧阳市四方不锈钢制品有限公司

Address:Industrial Zone Daitou Town,Liyang City,Jiangsu
P.C. 213311
Tel:0086-519-87998166 87362022 87366388
Fax:0086-519-87360738
Mobile:13906142097 13906145685 13601596168
Http:WWW.LYSF.COM E-mail:SM@LYSF.COM

公司地址：江苏省溧阳市埭头工业区新安南路1号
邮编：213311
电话：0519-87998166 87362022 87366388
传真：0519-87360738
手机：13906142097 13906145685 13601596168

© 四方流体（LYSF）版权所有

采用生态纸印刷 Adopt the ecological paper for printing.

■本画册的图像，文字著作权归属溧阳市四方不锈钢制品有限公司。未经本公司书面同意，不得翻录或复制。违者溧阳市四方不锈钢制品有限公司保留追究其法律责任。
The property right of pictures and words in this pamphlet belongs to Sifang Stainless Steel Products Co., Ltd. Without consent, no one can record or copy. Anyone who breaks it, Sifang Stainless Steel Products Co., Ltd. Machinery owns the right to chase his legal responsibility.

LYSF 四方流体